



**Tripp Lite**  
 1111 West 35th Street  
 Chicago, IL 60609 USA  
 Telephone: +(773) 869 1234  
 E-mail: [saleshelp@tripplite.com](mailto:saleshelp@tripplite.com)

## Model #: N201-025-GY

### 25-ft. Cat6 Gigabit Snagless Molded Patch Cable (RJ45 M/M) - Gray



#### Highlights

- Premium cabling for Category 6, Category 5e and Category 5 applications—rated for 550 MHz/1Gbps communications
- Designed to meet Category 6 specifications; reduces cross-talk and return loss
- IEC 802.3ab
- PVC 4-pair stranded UTP
- All cables feature boots with integral strain-relief and RJ45 (Male) connectors

#### Description

With Tripp Lite's new category 6 molded patch cables you can stay ahead of the game by using this high-speed cable to distribute data, voice and video. These cables deliver stable performance up to 550MHz. Each comes UL verified meets EIA/TIA Cat6 TIA/EIA-568-B-2.1 draft 9 standards. Constructed with high-quality copper wire and a staggered-pin plug design, near-end crosstalk levels are kept to a minimum. Designed for use in category 6, category 5e and category 5 applications. Cat6 cables are available in a variety of colors with a snagless boot preventing cable snags.

#### System Requirements

- For 1000 Base-T (1Gbps Ethernet), 10/100 Base-T (Ethernet), 100 Mbps TPDDI, 155 Mbps ATM, ISDN, voice and Token Ring TYPE 3 applications as well as EIA/TIA applications.

#### Package Includes



- 25-ft. Cat6 Gray Gigabit Patch Cord Snagless Molded

#### Features

- Meets category 6 cabling standards.
- Length: 25 ft. Color: gray. Connectors: RJ45 male
- Drastically reduce impedance and structural return loss compared to standard 100MHz wire.
- High-quality copper wire and a staggered-pin plug design to keep near-end crosstalk levels to a minimum
- Feature molded connectors with integral strain relief
- Snagless design protects the locking tabs on the RJ45 connectors from being damaged or snapped off during installation
- PVC 4-pair stranded UTP
- Deliver stable performance up to 550MHz/1 Gbps communication
- Meets most current industry standards including IEEE 802.3ab, IEEE 802.5, ANSI/EIA/TIA 568, ISO/IEC 11801 and ETL (category 6 draft 11)
- Available in other colors and lengths

#### Specifications

OVERVIEW	
Intended Application	Computer Networking

<b>Cable Type</b>	CAT6 / CAT6E / CAT6A
<b>Model Type</b>	Snagless Patch Cables
<b>INPUT</b>	
<b>Cable Length (ft.)</b>	25
<b>Cable Length (m)</b>	7.62
<b>UPC Codes</b>	
<b>Unit Carton UPC#</b>	037332100009
<b>PHYSICAL</b>	
<b>Color</b>	Gray
<b>Style</b>	Cat6/6e/6a
<b>CONNECTIONS</b>	
<b>Connector A</b>	 RJ45 (MALE)
<b>Connector B</b>	 RJ45 (MALE)
<b>CERTIFICATIONS</b>	
<b>Certifications</b>	RoHS-Compliant
<b>WARRANTY</b>	
<b>Product Warranty Period (Worldwide)</b>	Lifetime limited warranty

## Related Items

### Optional Products

Related Model	Description	Qty.
<a href="#">N201-003-GY</a>	3-ft. Cat6 Gigabit Snagless Molded Patch Cable (RJ45 M/M) - Gray	1
<a href="#">N201-005-GY</a>	5-ft. Cat6 Gigabit Snagless Molded Patch Cable (RJ45 M/M) - Gray	1
<a href="#">N201-007-GY</a>	7-ft. Cat6 Gigabit Snagless Molded Patch Cable (RJ45 M/M) - Gray	1
<a href="#">N201-010-GY</a>	10-ft. Cat6 Gigabit Snagless Molded Patch Cable (RJ45 M/M) - Gray	1
<a href="#">N201-014-GY</a>	14-ft. Cat6 Gigabit Snagless Molded Patch Cable (RJ45 M/M) - Gray	1
<a href="#">N201-025-BL</a>	25-ft. Cat6 Gigabit Snagless Molded Patch Cable (RJ45 M/M) - Blue	1
<a href="#">N201-025-GN</a>	25-ft. Cat6 Gigabit Snagless Molded Patch Cable (RJ45 M/M) - Green	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at [www.tripplite.com/en/products/model.cfm?txtModelID=2159](http://www.tripplite.com/en/products/model.cfm?txtModelID=2159).

---

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.